Journal of Luminescence 45 (1990) ix–xvi
North-Holland

CONTENTS

Preface vii

Organizing Committees viii

Contents ix

Section 1. Inhomogeneous broadening

Inhomogeneous broadening of spectral lines in doped insulators
Macfarlane, R.M. 1

Inhomogeneous broadening in solids: progress towards a microscopic understanding
Skinner, J.L., B.B. Laird and L. Root 6

Resonant Raman scattering within an inhomogeneously broadened exciton band in semiconductors
Frommer, A., Y. Garini, A. Ron and E. Cohen 9

Inhomogeneous broadening in excitonic systems
Boukahil, A. and D.L. Huber 13

Saturation resolved fluorescence spectroscopy of Cr^{3+}: mullite glass-ceramic
Liu, H., R. Knutson and W.M. Yen 17

Growth and spectroscopic analysis of single-crystal fibers
Tissue, B.M., L. Lu and W.M. Yen 20

FLN study of $LiGa_5O_8:Co^{2+}$
Donegan, J.F., T.J. Glynn and G.F. Imbusch 23

Anomalous lineshapes in Raman heterodyne detected EPR
Fisk, P.T.H., X.-F. He, K. Holliday and N.B. Manson 26

Section 2. Restricted geometries

Quantum confinement of excitons and their relaxation processes in CuCl microcrystals
Itoh, T., T. Ikehara and Y. Iwabuchi 29

Excited state dynamics in restricted geometries
Klafter, J., J.M. Drake, P. Levitz, A. Blumen and G. Zumofen 34

One-dimensional exciton fusion kinetics in dilute polymer blends
Kopelman, R., C.S. Li and Z.-Y. Shi 40

Steady-state vs pulsed excitation recombination kinetics: simulations and experiments on pores, powders and random media
Parus, S.J., Z.-Y. Shi and R. Kopelman 43

Raman scattering of CdS microcrystals in organic media
Pan, J., X. Xu, S. Ding and J. Pen 45

Section 3. Glasses and disordered systems

Low-temperature glass dynamics probed by optical dephasing measurements
Narasimhan, L.R., K.A. Littau, Y.S. Bai, D.W. Pack, A. Elschner and M.D. Fayer 49

Spectral holeburning and statistical fine structure of Nd^{3+} in silica glass
Brocklesby, W.S., B. Golding and J.R. Simpson 54

Persistent IR spectral hole-burning in chalcogenide glasses
Love, S.P. and A.J. Sievers 58

On the quantum efficiency of chromium-doped glasses
Imbusch, C.F., T.J. Glynn and G.P. Morgan 63

Dispersive singlet energy transport in orientationally disordered single crystals
Von Borczyskowski, C., U. Fischer and N. Schwentner 66

Hole-burning of ionic dyes in Langmuir–Blodgett films. Comparison between a monolayer and a thick assembly
Bernard, J. and M. Orrit 70

The absence of localization in certain statically disordered solids
Dunlap, D.H., K. Kundu and P. Phillips 74

Localization effects in dephasing experiments
Lonsky, Ch., P. Thomas and A. Weller 77

Dynamics of glasses doped with rare earth ions: a study by permanent and transient hole-burning
Van der Zaag, P.J., B.C. Schokker, Th. Schmidt, R.M. Macfarlane and S. Völker 80

Octatetraene in n-hexane: the local phonon
Gradl, G., B.E. Kohler and C. Westerfield 83

Luminescence study of chromium (III) in zirconium barium fluoride glass (ZBLA)
Balda, R., M.A. Illarramendi, J. Fernández and J. Lucas 87

Anomalous diffusion: new extensions of CTRW methods
Blumen, A., G. Zumhofen and J. Klafter 90

Localized-phonon assisted energy transfer in glasses
Dixon, G. 93

Energy migration in disordered systems. The β-$ThBr_4$ incommensurate phase
Milicic, A., P. Delamoye and J.C. Krupa 96

Intra-stark relaxation of Nd^{3+} in silicate glass: subpicosecond accumulated photon echo experiments
Lee, H.W.H. 99

Optical and paramagnetic line shapes of excited states in energetically disordered molecular aggregates
Reineker, P., J. Köhler and A.M. Jayannavar 102

Distribution of low field sites of Cr(III) in silicate glass from an analysis of the broad $^4T_2$ fluorescence band
Kosch, J., W. Seelert and E. Strauss 105

Rare earth concentration and localization in Nd^{3+} and Er^{3+} doped fibre amplifiers
Marcerou, J.F., B. Jacquier, A.M. Briançon, J.C. Gâcon, H. Fevrier and J. Augé 108

Luminescence line narrowing in coordination compounds: Tris chelate complexes of rhodium(III)
Zilian, A., M.G. Colombo and H.U. Güdel 111

Section 4. Elementary excitations

Optical detection of terahertz phonon dynamics in disordered doped insulator systems using a new FLN-based technique
Basun, S.A., P. Deren, S.P. Feofilov, A.A. Kaplyanskii and W. Strek 115

Time-domain vibrational spectroscopy of disordered media
Nelson, K.A. 120

Optical generation of nonzero-wavevector magnons in antiferromagnetic MnF_2
Jongerden, G.J., A.F.M. Arts, J.I. Dijkhuis and H.W. De Wijn 126

Ballistic propagation of magnons in MnF_2
Rotter, L.D., W. Grill, W.M. Dennis and W.M. Yen 130

Luminescence study of exciton drag by acoustic phonons in silicon
Akimov, A.V., A.A. Kaplyanskii and E.S. Moskalenko 135

Phonon bottleneck in submicron zones in ruby
Van Wijk, R.J., J.I. Dijkhuis and H.W. De Wijn 138

High-resolution optical study of a point-contact-induced hot spot in ruby
Troost, K.Z., M.J. Van Dort, J.I. Dijkhuis and H.W. De Wijn 141

Time evolution and delocalization of excitation in models of a harmonic oscillator chain with an impurity mass
Yu, M.B., J.H. Kim and M.H. Lee 144

Phonon dynamics with a photon echo boxcar scheme
Boye, D.M., J.E. Rives and R.S. Meltzer 147

Fluorescence-line-narrowing and Monte Carlo studies of spectral transport of nonequilibrium phonons in ruby
Van Dort, M.J., C.R. De Kok, J.I. Dijkhuis and H.W. De Wijn 150

Investigations of far infrared generated nonequilibrium phonons in $LaF_3:Pr^{3+}$
Tolbert, W.A., W.M. Dennis, R.S. Meltzer and W.M. Yen 153

Luminescence and memory effects in the incommensurate-commensurate phase transitions in improper-ferroelectric $Rb_2ZnCl_4:UO_2^{2+}$
Morita, M., T. Sei, R. Akasaka, H. Kanno, A. Machii, A. Shiba, T. Shoki, S. Narutomi and T. Tsubomura .. 156

GAP vibration modes of mass defects in the cubic compound semiconductor ZnS
Ren, S.Y., W.-M. Hu and J.D. Dow 159

The $^7F_0$–$^5D_0$ two-photon transition: a test of theoretical models
Gacon, J.C., B. Jacquier, J.F. Marcerou, M. Bouazaoui and M. Kibler 162

Emission and ESR study on high T_c superconductors
Wang, Y., X. Zhang, Y. Zhou and J. Wang 165

Enhancement of the second-order Judd–Ofelt transition rates for high-lying $(4f)^n$ states
Levey, C.G. 168

Section 5. Semiconductors, superlattices and quantum wells

Experimental investigation of electron scattering in type II AlGaAs/AlAs superlattices
Feldmann, J., E.O. Göbel and G. Peter 173

Coupling induced enhancement of nonradiative and suppression of radiative recombination in superlattices
Krahl, M., J. Christen and D. Bimberg 176

Exciton dynamics in GaAs quantum wells
Damen, T.C., J. Shah, D.Y. Oberli, D.S. Chemla, J.E. Cunningham and J.M. Kuo 181

Photoinduced absorption by excitons in multiple quantum wells
Olszakier, M., E. Ehrenfreund, E. Cohen and L. Pfeiffer 186

Interlayer Γ-X scattering in staggered-alignment AlGaAs–AlAs ternary alloy multi-quantum-well structures
Masumoto, Y., T. Mishina and F. Sasaki 189

Femtosecond relaxation dynamics of hot carriers in CdSe
Hasegawa, A., F. Minami, S. Asaka and K. Inoue 192

Impurity-related optical nonlinearity and bistability in the band-gap region of CdS : In
Hönig, T., J. Gutowski and I. Broser 194

Persistent photoconductivity in $Cd_{0.7}Zn_{0.3}Se$ mixed crystals
Lin, J.Y., S.X. Huang, L.Q. Zu, E.X. Ping and H.X. Jiang 198

Optical nonlinearities of quasi two-dimensional excitons under various excitation conditions
Weber, Ch., K.H. Schlaad, D. Oberhauser, H. Kalt, C. Klingshirn, D.S. Chemla, J. Cunningham, G. Weimann, W. Schlapp and H. Nickel 201

Optical anisotropy and nonlinearity of excitonic-polariton propagation in a gallium arsenide quantum-well waveguide
Ogawa, K. and T. Katsuyama 205

Spin relaxation in optically excited quantum wells
Snelling, M.J., A.S. Plaut, G.P. Flinn, A.C. Tropper, R.T. Harley and T.M. Kerr 208

Laser excitation and relaxation processes of electron–hole pairs in gallium arsenide on a 100 fs time scale
Schäfer, W., G. Böhne, T. Sure and R.G. Ulbrich 211

Stimulated photoluminescence of ZnSe grown by vapor phase epitaxy
Tian, H., X.W. Fan and X.R. Xu 215

Optically detected nuclear magnetic resonance in semiconductor quantum wells
Flinn, G.P., R.T. Harley, M.J. Snelling, A.C. Tropper and T.M. Kerr 218

Distinct two-step absorption saturation of excitons in GaAs multi-quantum-well structures under high-density excitation
Masumoto, Y., S. Ideshita, F. Sasaki and T. Mishina 221

Photoluminescence of a ZnSe–ZnS strained-layer superlattice under high excitations
Guan, Z.P., X.W. Fan, G.H. Fan and X.R. Xu 224

Section 6. Excitons

Dynamics of exciton–polaritons in alkali halides studied by three-photon difference frequency generation
Fröhlich, D., P. Köhler, W. Nieswand, T. Rappen and E. Mohler 229

Energy transfer from excitonic polaritons to deep impurities in CdS
Pantke, K.-H., H. Over and I. Broser 232

Retarded luminescence and self-trapping of excitons
Wagner, M. and A. Köngeter 235

Optical line shapes of dimers and molecular chains: influence of a heat bath with coloured noise
Reineker, P., B. Kaiser, A.M. Jayannavar and V. Kapsa 238

Damping of superradiant excitons in molecular aggregates
De Boer, S. and D.A. Wiersma 241

A polaron mechanism for the Y and E states of excimer crystals
Wu, T.-M., D.W. Brown and K. Lindenberg 245

Fluorescence, photoconductivity and polarization properties of divalent rare earth ions in fluoride crystals
Moine, B., B. Courtois and C. Pedrini 248

Dynamics of bound-exciton energy transformation to edge-luminescence centers in CdS
Lin, J.Y., D. Baum, Q. Zhu, A. Honig and H.X. Jiang 251

Fluorescence dynamics and cross relaxation of 4 + curium in cerium tetrafluoride
Liu, G.K. and J.V. Beitz 254

A new technique to differentiate between geminate and nongeminate recombination of triplet excitons
Prasad, J. and R. Kopelman 258

Excited state dynamics in UHV-deposited films of pyrene
Port, H., P. Fischer and R. Seyfang 260

Picosecond nonlinear effects in luminescence of pseudoisocyanine dye J-aggregates
Tsubomura, T., O. Sakurai and M. Morita 263

Susceptibilities, local field, and polaritons in nonlinear optics: a unifying theory
Knoester, J. and S. Mukamel 266

By-pass relaxation of photoproduced excitons to the self-trapped exciton state in pyrene
Matsui, A., M. Furukawa, K. Mizuno, N. Tamai and I. Yamazaki 269

Dynamics and optical spectra of an exciton in a deformable lattice
Abe, S. 272

Excitation time modulation studies of molecularly doped polymers
Shi, Z.-Y. and R. Kopelman 275

Investigation of non-adiabatic electron–phonon interaction in dimers
Scheuing, A. and P. Reineker 277

Exciton trapping dynamics at very low temperatures
Parris, P.E. and J.Wm. Edwards 279

Temperature dependence of the autolocalization rate of excitons in rare gas solids
Schreiber, M. and H.-J. Kmiecik 282

Unified approach to polymer ablation and desorption of neutral atoms from surfaces of non-metallic compounds
Singh, J. and N. Itoh 286

Polarons, solitons and self-trapping in exciton dynamics
Brown, D.W. and Z. Ivic 289

Correlated study of luminescence with nonlinear absorption in CdS
Qi, J., G. Xiong and X. Xu 292

The excited states of linear chain polysilanes
Thorne, J.R.G., Y. Ohsako, S.T. Repinec, S.A. Abrash, J.M. Zeigler and R.M. Hochstrasser 295

Nanometer light source and molecular exciton microscopy
Kopelman, R., A. Lewis and K. Lieberman 298

Section 7. Holeburning

Fluorescence line narrowing and inhomogeneous broadening of Sm^{2+} in $BaFCl_xBr_{1-x}$
Zhang, L., J. Yu and S. Huang 301

Optical holeburning and double resonance spectroscopy of Ho^{3+} in CaF_2
Hasan, Z., H.Ghafoori Fard and N.B. Manson 304

Time-resolved spectral holeburning in $LaF_3 : Ho^{3+}$ and $YLiF_4 : Er^{3+}$
Wannemacher, R., R.S. Meltzer and R.M. Macfarlane 307

Tunneling dynamics of delocalized protons in hydrogen bonds at low temperatures
Rambaud, Ch., A. Oppenländer, H.P. Trommsdorff and J.C. Vial 310

Spectral holeburning properties of rotationally localized CN^- defects in cesium halides
Schrempel, M., W. Gellerman and F. Luty 313

Non-photochemical holeburning in Zn-substituted myoglobin
Kurita, A., Y, Kanematsu and T. Kushida 317

Spectral holeburning and holography
Meixner, A.J., A. Renn and U.P. Wild 320

Section 8. Computer simulations

Kinetics and self-ordering of excitations in low dimensions
Kopelman, R., L.W. Anacker, E. Clement, L. Li and L. Sander 323

Stochastic transport and relaxation in disordered systems: CTRW-models and simulation calculations
Zumofen, G., A. Blumen and J. Klafter 327

Fractal dimension and correlation length exponent for Anderson localization
Skinner, J.L., J. Bauer and T.-M. Chang 333

Simulation of the optical spectra of disordered Frenkel excitonic systems by equation-of-motion techniques: results for one dimension
Ching, W.Y. and D.L. Huber 335

Monte-Carlo simulation of the Peierls–Hubbard Hamiltonian
Schreiber, M. and W. Schmidt 338

Section 9. Upconversion and energy transfer

Up-conversion processes in coupled ion systems
Auzel, F. 341

Excitation mechanisms for upconversion lasers
Lenth, W. and R.M. Macfarlane 346

The photon avalanche in rare-earth crystals
Case, W.E., M.E. Koch and A.W. Kueny 351

Determination of photoionization rates of divalent samarium doped in alkaline earth fluorides
Fuller, R.L. and D.S. McClure 354

Relaxation of the high lying excited states in Nd^{3+} doped $YLiF_4$, LaF_3 and YAG
Jacquier, B., M. Malinowski, M.F. Joubert and R.M. Macfarlane 357

Energy transfer dynamics of luminescent ions in solids using kinetic and spectroscopic data
Armagan, G., A.T. Inge, A.M. Buoncristiani and B. Di Bartolo 360

Anti-Stokes fluorescence of Gd^{3+} in K_2GdF_5
Mahiou, R., J. Metin and J.C. Cousseins 363

Delayed fluorescence ODMR in isotopically mixed naphthalene crystals: effect of critical concentration transport on signal polarity
Brenner, H.C., S.A. Gilbert and I.A. Sokolik 366

Energy transfer in titanium (II) doped magnesium chloride
Jacobson, S.M., M. Herren and H.U. Güdel 369

Excitation dynamics in polysilanes
Tilgner, A., H.P. Trommsdorff, J.M. Zeigler and R.M. Hochstrasser 373

The first order distribution function of D–A transfer rates in energy transfer
Huang, S. and L. Lou 377

New luminescence evidence for super-exchange interaction in the trinuclear chromium(III) acetate complex
Morita, M., Y. Kawakami and T. Tsubomura 380

Time-resolved circularly polarized luminescence as a probe of energy-transfer dynamics in rare-earth doped crystals
Reid, M.F. 384

Section 10. Coherence

Energy transfer and instantaneous spectral diffusion processes in Tb^{3+} compounds as probed in photon echo experiments
Liu, G.K., R.L. Cone, M.F. Joubert, B. Jacquier and J.L. Skinner 387

On the shifting of optical transition frequencies in rare-earth doped insulators by resonant optical excitation
Huang, J., J.M. Zhang, A. Lezama and T.W. Mossberg 392

Vibrational cooling (and heating) of large molecules in solids
Dlott, D.D. 397

Pico- and femtosecond photon echoes in doped low-temperature organic polymers and applications in time–space optical data processing
Kaarli, R., A. Rebane, K. Rebane and P. Saari 401

Quantum beats in picosecond time-resolved resonant light scattering of free excitons in AgBr
Langer, V., H. Stolz and W. von der Osten 406

Population and phase relaxations of quasi-two-dimensional excitons in GaSe: femtosecond photon echoes and luminescence decay experiments
Minami, F., A. Hasegawa, S. Asaka and K. Inoue 409

Phase conjugate degenerate four-wave mixing in molecular aggregates
Spano, F.C. and S. Mukamel 412

Ecited-state relaxations and resoant second-order optical processes
Kushida, T. and S. Kinoshita 416

Photorefractive gratings induced in $KnBO_3$ by picosecond light pulses
Reeves, R.J., M.G. Jani, R.C. Powell and G.J. Mizell 419

Dephasing times of the stretching vibration in liquid N_2 and of the vibrons in the α and β crystalline phases
De Kinder, J., E. Goovaerts, A. Bouwen and D. Schoemaker 423

Triplet spin coherent transients of fluorescent N–V centers in diamond
Glasbeek, M. and E. van Oort 426

Holeburning and photon echo measurements in $Keu(WO_4)_2$
Manson, N.B. and P.T.H. Fisk 429

Zeeman-switched optical free induction decay in $YLiF_4 : Er^{3+}$
Boye, D.M., R. Wannemacher, Y.P. Wang, W. Grill, J.E. Rives and R.S. Meltzer 431

Thermal behaviour of low temperature coherent emission in $LiYF_4 : Er^{3+}$
Hubert, S., D. Meichenin and F. Auzel 434

Modulation of photon echo intensity by pulsed non-uniform magnetic fields
Wang, Y.P., D.M. Boye, J.E. Rives and R.S. Meltzer 437

Accumulated photon echo in Cr^{3+}-doped crystals
Overwijk, M.H.F., C.R. De Kok, J.I. Dijkhuis and H.W. De Wijn 440

Section 11. Nonradiative relaxation

Non-radiative processes in deep centres of diamond
Pereira, E. and T. Monteiro 443

Fluorescence excitation spectra of phonon-induced guest sites in p-terphenyl : tetracene crystals
Krüger, A., C. Kryschi and D. Schmid 447

Quenching of the $^4T_1 - {}^6A_1$ transition of $CsMnCl_3 : 2H_2O$ by OH stretching vibration
Jia, W., E. Strauss and W.M. Yen 451

Dynamics of S_3 luminescence in diamond
Pereira, E. and L. Santos 454

Author index 459

Subject index 467

Materials index 471